



MATERIAL SAFETY DATA SHEET

Sikadur 32 Hi Mod - Part A

HMIS

HEALTH	2
FLAMMABILITY	1
REACTIVITY	0
PERSONAL PROTECTION	C

1. Product And Company Identification

Supplier Sika Corporation 201 Polito Ave Lyndhurst, NJ 07071 Company Contact: EHS Department Telephone Number: 201-933-8800 FAX Number: 201-933-9379 Web Site: www.sikausa.com	Manufacturer Sika Corporation 201 Polito Ave Lyndhurst, NJ 07071 Company Contact: EHS Department Telephone Number: 201-933-8800 FAX Number: 201-933-9379 Web Site: www.sikausa.com
Supplier Emergency Contacts & Phone Number CHEMTREC: 800-424-9300 INTERNATIONAL: 703-527-3887	Manufacturer Emergency Contacts & Phone Number CHEMTREC: 800-424-9300 INTERNATIONAL: 703-527-3887

Issue Date: 06/07/2004

Product Name: Sikadur 32 Hi Mod - Part A
Chemical Family: Epoxy Compound
Chemical Formula: RMF-2899
MSDS Number: 3206
Product Code: 037013N

2. Composition/Information On Ingredients

Ingredient Name	CAS Number	Percent Of Total Weight
AROMATIC HYDROCARBON BLEND	Trade Secret	
MODIFIED EPOXY RESIN	Trade Secret	
NONYL PHENOL	84852-15-3	

3. Hazards Identification

Eye Hazards

May cause eye irritation.

Skin Hazards

May cause skin irritation.

Ingestion Hazards

May be fatal if swallowed.

Inhalation Hazards

May cause respiratory tract irritation.

Sikadur 32 Hi Mod - Part A

4. First Aid Measures

Eye

Rinse eyes thoroughly with water for at least 15 minutes. Consult physician.

Skin

In case of contact, immediately flush skin with soap and plenty of water.

Ingestion

If victim is fully conscious, give one or two cups of water to drink. Call a physician immediately.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration.

5. Fire Fighting Measures

Flash Point: >220 °F

Fire And Explosion Hazards

None Known.

Extinguishing Media

In case of fire, use water spray (fog) foam, dry chemical, or CO2.

Fire Fighting Instructions

Firefighters should wear self-contained breathing apparatus and full protective gear.

6. Accidental Release Measures

Avoid release to the environment. Use appropriate personal protective equipment (PPE). Contain spill and collect with absorbent material and transfer into suitable containers. Ventilate enclosed area.

7. Handling And Storage

Handling And Storage Precautions

Store in a cool, dry, well ventilated area. Keep containers tightly closed.

Work/Hygienic Practices

Wash thoroughly after handling.

8. Exposure Controls/Personal Protection

Engineering Controls

Use with adequate general and local exhaust ventilation.

Eye/Face Protection

Safety glasses with side shields or goggles.

Skin Protection

Chemical-resistant gloves. Lab coat or other work clothing to prevent skin exposure. Launder before reuse.

Respiratory Protection

A respirator protection program that meets 29 CFR 1910.134 requirement must be followed whenever workplace conditions warrant a respirator's use.

Other/General Protection

Wash thoroughly after handling.

9. Physical And Chemical Properties

Appearance

Straw liquid

Sikadur 32 Hi Mod - Part A

9. Physical And Chemical Properties - Continued
Odor Mild aromatic odor Chemical Type: Mixture Boiling Point: N/A °F Specific Gravity: 1.14 Packing Density: 9.51 Vapor Pressure: N/A Vapor Density: > AIR Evaporation Rate: Slower than ether VOC Content Part A - 3.11 % VOC Content Part A+B - 35 grams/liter (2.48%)
10. Stability And Reactivity
Stability: Stable Hazardous Polymerization: Will not occur Conditions To Avoid (Stability) None Known Incompatible Materials Strong oxidizing materials, acids, and bases. Hazardous Decomposition Products CO, CO ₂ , Aldehydes and other organics
11. Toxicological Information
Conditions Aggravated By Exposure Eye disease, skin disorders and allergies, chronic respiratory disease.
12. Ecological Information
No Data Available...
13. Disposal Considerations
Dispose in accordance with applicable federal, state and local government regulations.
14. Transport Information
Proper Shipping Name Not regulated by the USDOT.
15. Regulatory Information
U.S. Regulatory Information All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory. SARA Hazard Classes Acute Health Hazard Chronic Health Hazard SARA Section 313 Notification This product does not contain any ingredients regulated under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 or 40 CFR 372.

MATERIAL SAFETY DATA SHEET

Sikadur 32 Hi Mod - Part A

16. Other Information

HMIS Rating

Health: 2

Fire: 1

Reactivity: 0

PPE: C

Revision/Preparer Information

MSDS Preparer: EHS Department

This MSDS Supercedes A Previous MSDS Dated: 04/14/2004

Disclaimer

The data in this Material Safety Data Sheet relates only to the specific material herein and does not relate to use in combination with any other material or in any process. The information set forth herein is based on technical data that Sika believes to be reliable as of the date hereof. Since conditions of use are outside our control, we make no warranties, express or implied and assume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents.

SIKA CORPORATION